

C2: Bonding and Structure 1

ANSWER KEY

5.1	What are the three types of bonds?	Covalent, ionic and metallic
5.2	What happens to the electrons in an ionic bond?	They are transferred from a metal atom to a non-metal atom
5.3	If an atom has gained electrons, what charge will it have as an ion?	Negative
5.4	If an atom has lost electrons, what charge will it have as an ion?	Positive
5.5	What type of elements will form ionic bonds?	Metal + non-metal
5.6	What is the charge on ions from group one and two?	<ul style="list-style-type: none">• Group 1: 1+• Group 2: 2+
5.7	What is the charge on ions from group six and seven?	<ul style="list-style-type: none">• Group 6: 2-• Group 7: 1-
5.8	Describe the structure and bonding in an ionic compound	Giant ionic lattice (repeating structure) held together by strong electrostatic forces of attraction between positive and negative ions
5.9	What kind of melting and boiling points do ionic compounds have?	High
5.10	Explain the melting and boiling points of ionic compounds	<ul style="list-style-type: none">• High due to strong electrostatic forces of attraction• between the many ions• which require a lot of heat energy to break
5.11	Explain why ionic compounds do not conduct electricity when solid	The ions are not free to move and carry charge
5.12	Explain why ionic compounds conduct electricity when molten (melted) or in aqueous solution	The ions are free to move and carry charge

C2: Bonding and Structure 2

ANSWER KEY







6.1	What happens to the electrons in a covalent bond?	They are shared
6.2	What type of elements will form covalent bonds?	Non-metal + non-metal
6.3	What two types of substance have covalent bonds?	<ul style="list-style-type: none"> • Giant covalent substances (macromolecules) - like diamond and graphite • Small molecules (simple molecular) - like methane, CH₄, water, H₂O and ammonia NH₃
6.4	How many bonds does each carbon atom have in diamond? And in graphite?	4 3
6.5	Explain why macromolecules like diamond, graphite and silicon dioxide have high melting points	<ul style="list-style-type: none"> • Giant (repeating) / lattice structures • Many strong covalent bonds between the atoms • Requires a lot of heat energy to break
6.6	Explain why most covalent substances do not conduct electricity	There are no delocalised electrons or ions that are free to move and carry charge
6.7	Making reference to structure and bonding in graphite, explain how it conducts electricity	<ul style="list-style-type: none"> • Each carbon has only 3 bonds • leaving 1 delocalised electron per atom • which is free to move through the structure • and carry charge
6.8	Explain why graphite can act as a lubricant and can be used in pencils	<ul style="list-style-type: none"> • Layered structure • with weak forces between layers • which are free to slide over each other
6.9	What type of substance are methane and water?	Small covalent molecules (simple molecular)
6.10	Describe the structure and bonding in small molecules	<ul style="list-style-type: none"> • Strong covalent bonds between atoms • weak forces between the molecules
6.11	Explain why small molecules have low melting points	<ul style="list-style-type: none"> • Weak forces of attraction • <u>between the molecules</u> • which are easy to break with only a little heat energy

C2: Bonding and Structure 3

ANSWER KEY

7.1	What is a polymer?	A long chain molecule made by joining many small molecules (monomers) together
7.2	Why do larger molecules have higher melting points than smaller ones?	<ul style="list-style-type: none">• Bigger molecules have stronger forces of attraction• between the molecules• so need more heat energy to separate
7.3	What is graphene?	A single layer of graphite
7.4	What is graphene used for?	Electronics (as it is a good electrical conductor) and composites
7.5	What is fullerene?	Molecule made of carbon atoms arranged in a cage or tube
7.6	What is the formula of Buckminsterfullerene?	C_{60}
7.7	What are nanotubes?	Cylindrical fullerenes made from hexagonal rings of carbon
7.8	What are nanotubes used for?	Electronics (also nanotechnology and composite materials)
7.9	Describe the bonding in metals	<ul style="list-style-type: none">• Lattice (repeating structure) of metal ions• surrounded by delocalised electrons
7.10	Explain why metals generally have high melting points	<ul style="list-style-type: none">• Strong attraction• between the metal ions and the delocalised electrons• which requires a lot of heat energy to break
7.11	Explain why metals conduct electricity	<ul style="list-style-type: none">• Metals have delocalised electrons• which are free to move through the structure• and carry charge
7.12	Explain why metals are malleable (bendable) and ductile (can be pulled into wires) without breaking	<ul style="list-style-type: none">• Layers of ions• can slide past each other (and the)• delocalised electrons move with them
7.13	Explain why alloys (mixtures of metals) are harder and stronger than pure metals	<ul style="list-style-type: none">• Metal atoms are different sizes• layers of atoms are distorted• so layers can't slide past each other

Recognising Structures and Types of Bonding

Diagram	Type of bonding	How do we know?	Melting and boiling points	Electrical conductivity
	Ionic e.g. sodium chloride, NaCl	Has both <u>positive and</u> negative ions (metal and non-metal)	All the substances with <i>giant repeating structures</i> will have very <i>high melting and boiling points</i>	Only when molten or dissolved in water, as the ions are then free to move and carry charge
	Macromolecular Covalent (giant covalent) Diamond	Has a giant repeating structure, but no ions		No – has no delocalised electrons Carbon atoms form 4 covalent bonds
	Macromolecular Covalent (giant covalent) Graphite	Has a giant repeating structure, but no ions, and is in hexagonal layers		This is because they contain a <i>lot of strong bonds</i> (ionic, covalent or metallic) so require a <i>lot of heat energy to break these bonds</i>
	Macromolecular Covalent (giant covalent) A fullerene	Has a giant repeating structure, but no ions	If you can see a lot of atoms or ions in a lattice or large regular structure, <i>high melting and boiling points</i>	Yes – has delocalised electrons Carbon atoms only form 3 covalent bonds
 Delocalised electrons	Metallic e.g. copper, Cu	Has positive ions surrounded by delocalised electrons in a giant repeating structure		Yes – has delocalised electrons that are free to move through the structure and carry charge
	Simple (molecular) covalent Made from small molecules e.g. water, H ₂ O	It has no ions (so must be covalent) and is only a small group of atoms	<i>Low melting and boiling points</i> Strong covalent bonds between atoms but... <i>Weak attraction between molecules</i> so very little heat energy needed to separate the molecules	No – has no delocalised electrons

FOUNDATION TIER

Q1. Carbon can exist in a number of different structures.


(a) What is the approximate radius of a carbon atom? Tick (✓) **one** box.

0.1 m 0.1 mm 0.1 nm

(1)

In graphite the carbon atoms are held together by bonds.

Figure 1 represents part of the structure of graphite.



(b) How many bonds does each carbon atom have in graphite?

Use **Figure 1**. Tick (✓) **one** box.

1 2 3 4

(1)

(c) What type of bonds hold the carbon atoms together in graphite? Tick (✓) **one** box.

Covalent

Ionic

Metallic

(1)



(d) Lubricants allow objects to slide over each other easily.

Suggest why graphite can be used as a lubricant. Use **Figure 1**.

(1)

(e) The two structures represent different forms of carbon.

Draw **one** line from each structure to the form of carbon.


Structure	Form of carbon
	<input type="checkbox"/> Buckminsterfullerene
	<input type="checkbox"/> Diamond
	<input type="checkbox"/> Graphene
	<input type="checkbox"/> Nanotube

(2)

(f) The diagram below shows the outer electron shells in an ammonia molecule.

Complete the diagram to show a dot and cross diagram for an ammonia molecule.

Show the outer shell electrons only. Nitrogen is in group 5 of the periodic table.



(2)

(Total 14 marks)

Q2. Structure and bonding is used to explain properties of compounds.

Metal atoms react with non-metal atoms to form ions.

(a) Which group of elements does **not** form ions?

Tick (✓) **one** box.

Alkali metals

Halogens

Noble gases


(1)

(b) Potassium reacts with chlorine to produce potassium chloride (KCl).

Figure 1 shows what happens to the electrons in the outer shells when a potassium atom reacts with a chlorine atom.

The dots (o) and crosses (x) represent electrons.

Figure 1



Describe what happens when a potassium atom reacts with a chlorine atom to produce potassium chloride.




Answer in terms of electrons.

(4)

(c) In solid ionic compounds, oppositely charged ions attract to form a giant structure.

Which structure represents the arrangement of ions in solid potassium chloride?

Tick (✓) **one** box.



(1)

Non-metal atoms share electrons to form covalent bonds.

(d) Water (H_2O) is a covalent molecule.

The table below shows the number of electrons in the outer shells of hydrogen atoms and of oxygen atoms.


Element	Number of electrons in the outer shell of an atom
Hydrogen	1
Oxygen	6

Figure 2 shows part of a dot and cross diagram for a molecule of water.

Complete the dot and cross diagram.

You should only show electrons in the outer shells.

Figure 2



(2)

(e) Silica has a giant covalent structure.

Figure 3 represents the structure of silica.

Figure 3



Determine the ratio of silicon (Si) atoms to oxygen (O) atoms in silica.

Use **Figure 3**.

_____ Si : _____ O

(1)

(f) Polymers have very large molecules.

Figure 4 represents part of the structure of a polymer.

Figure 4



What holds polymer molecule **1** and polymer molecule **2** together in a polymer?


Tick (✓) **one** box.

- Covalent bonds
- Electrostatic attraction between ions
- Weak intermolecular forces

(1)

(g) **Figure 5** shows the melting point of a polymer as the length of the polymer molecule increases.

Figure 5



Describe the trend shown in **Figure 5**.

(3)


(Total 13 marks)

Q3. This question is about graphene and graphite.

Graphene is a single layer of graphite.

Figure 1 represents part of the structure of graphene.

Figure 1



(a) Graphene is one atom thick. The diameter of the atom is 3.4×10^{-10} m

What is the thickness of a graphene layer in nanometres?

$1 \text{ nm} = 10^{-9} \text{ m}$

Tick (✓) **one** box.

0.034 nm

0.34 nm

3.4 nm

34 nm

(1)

(b) Which is **one** use of graphene?

Tick (✓) **one** box.

As a detergent

As a solvent


In composites

To produce polymers

(1)

Q4. This question is about substances with covalent bonding.

- (a) The diagram below shows a ball and stick model of a water molecule (H_2O).



Suggest **one** limitation of using a ball and stick model for a water molecule.

(1)

- (b) Ice has a low melting point.

Water molecules in ice are held together by intermolecular forces.


Complete the sentence.

Ice has a low melting point because the intermolecular forces are

_____.

(1)

- (c) The image below shows the structure of a molecule.



What is the molecular formula of the molecule in the above image?

(1)

Diamond has a giant covalent structure.

(d) What is the number of bonds formed by each carbon atom in diamond?

Tick (✓) **one** box.

2 3 4 8

(1)

(e) Give **two** physical properties of diamond.

1. _____

2. _____

(2)

(f) Name **two** other substances with giant covalent structures.

1. _____

2. _____

(2)

(Total 8 marks)

HIGHER TIER


Q5. This question is about structure and bonding.

(a) Oxygen is in Group 6.

The diagram shows the outer shells in an oxygen molecule.

Complete the dot and cross diagram.

You should show only the electrons in the outer shell.



(2)

(b) Explain why oxygen is a gas at room temperature.

(3)

(c) Oxygen forms many compounds.

Which **two** compounds of oxygen are small molecules? Tick **two** boxes.

Carbon dioxide	<input type="checkbox"/>
Magnesium oxide	<input type="checkbox"/>
Potassium oxide	<input type="checkbox"/>
Silicon dioxide	<input type="checkbox"/>
Water	<input type="checkbox"/>

(2)

(d) Explain why metals conduct electricity.

Refer to structure and bonding in your answer.

(4)

(Total 11 marks)

Q6. This question is about sodium chloride and iodine.


(a) Describe the structure and bonding in sodium chloride.

(4)

(b) The bonding in iodine is similar to the bonding in chlorine.

(i) Complete the diagram below to show the bonding in iodine.

Show the outer electrons only.



(2)

(ii) Explain why iodine has a low melting point.

(3)

(iii) Explain, in terms of particles, why liquid iodine does not conduct electricity.

(2)

(Total 11 marks)

Mark schemes

Q1.

(a) 0.1 nm

1

(b) 3

1

(c) covalent


1

(d) layers slide (over each other)

allow atoms slide over each other

1

(e)

Structure	Form of carbon
	<div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 2px auto;">Buckminsterfullerene</div>
	<div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 2px auto;">Diamond</div>
	<div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 2px auto;">Graphene</div>
	<div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 2px auto;">Nanotube</div>

do **not** accept more than **one** line from a box on the left

1

1

(f) 3 bonding pairs of electrons

1

lone pair of electrons on the nitrogen atom

1

[14]

Q2.

(a) noble gases

1

(b) potassium (atoms) lose electrons

1

chlorine (atoms) gain electrons

1

reference to one electron


1

any **one** from:

- to form ions
 - to form full outer shell(s)
 - to form full energy level(s)
- allow to form a noble gas structure*

1

(c)




1

(d) one shared pair in each overlap

1

four non-bonding electrons in outer shell of oxygen
*do **not** accept extra electron(s) on outer shell of hydrogen*
ignore any inner shell electrons
the diagram below scores 2 marks



1

allow any combination of circles, dots, crosses, e⁽⁻⁾ for electrons

(e) 1 Si : 2 O

allow 6 Si : 12 O

1

(f) weak intermolecular forces

1

(g) the melting point increases as the length of the polymer molecule increases

allow 1 mark for melting point increases

2

(then the) melting point levels off (as the polymer molecule length increases)

allow (then the) melting point becomes constant (as the polymer molecule length increases)

1

ignore references to boiling point

[13]

Q3.

- (a) 0.34 nm 1
- (b) in composites 1
- (c) *must be a comparison*

graphene is any **one** from:

- better conductor (of electricity)
- allows greater miniaturisation of electronic circuits

allow thinner

- stronger
- harder
- more flexible

allow converse for graphite

1

- (d) **Level 3:** Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account. 5-6

Level 2: Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear. 3-4

Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking. 1-2

Indicative content

Structure and bonding

- giant structure / lattice / repeating structure
- of carbon atoms
- in layers of hexagonal rings

- covalent (bonds)
- strong (covalent) bonds

- where each (carbon) atom bonded to three other (carbon) atoms
- one electron on each atom is delocalised

Explanation for conductivity

- has delocalised electrons
- (which) are free to move
- and carry charge through the structure

Explanation for graphite being slippery

- layers free to slide over each other
- (because) only weak (intermolecular) forces between layers

[9]

Q4.

- (a) any **one** from:
- not to scale
 - allow size of atoms incorrect*
 - not 3 dimensional / D

- incorrect arrangement in space
allow atoms are separated
 - electrons / shells not shown
ignore properties of water
- 1
- (b) weak
allow weaker
- 1
- (c) CH₄O
allow CH₃OH
- 1
- (d) 4
- 1
- (e) any **two** from:
- (very) hard
allow strong
 - (very) high melting point
 - does not conduct electricity
allow high thermal conductivity
ignore shiny
- 2
- (f) graphite
allow graphene
- 1
- silicon dioxide
allow silica
allow silicon
allow polymer(s) or allow (named) polymer(s)
allow fullerene or allow carbon nanotubes
ignore buckminsterfullerene
- 1

[8]

Q5.

- (a) 4 electrons shared
- 1
- each atom has 4 unshared electrons outside the bond
- 1
- (b) small molecules
allow simple / small molecular structure
- 1
- with weak intermolecular forces
allow weak forces between molecules
- 1
- (which) require little energy to overcome
must be linked to second marking point


- (c) carbon dioxide 1
 water 1
- (d) giant structure / lattice / repeating structure of metal ions 1
 delocalised electrons 1
 (delocalised electrons) are free to move through the whole structure 1
 and carry charge 1

[11]

Q6.

- (a) lattice / giant / repeating structure 1
max 3 if incorrect structure or bonding or particles
- ionic **or** (contains) ions 1
- Na⁺ and Cl⁻ 1
accept in words or dot and cross diagram: must include type and magnitude of charge for each ion
- electrostatic attraction 1
allow attraction between opposite charges

- (b) (i) one bonding pair of electrons 1
accept dot, cross or e or - or any combination, eg



6 un-bonded electrons on each atom 1

- (ii) simple molecules 1
max 2 if incorrect structure or bonding or particles
accept small molecules
accept simple / small molecular structure

with intermolecular forces 1
accept forces between molecules
must be no contradictory particles

which are weak **or** which require little energy to overcome – must be linked to second marking point

reference to weak covalent bonds loses second and third marking points

1

(iii) iodine has no delocalised / free / mobile electrons or ions

1

so cannot carry charge

if no mark awarded iodine molecules have no charge gains 1 mark

1

[11]